



CONCRETE MINIMUM COMPRESSIVE STRENGTH = 30MPA
 MINIMUM CONCRETE COVER = 50MM
 CONSTRUCTION TOLERANCE = ± 5MM
 UNIFORMED FINISHES TO BE STEEL TROWELLED FINISH OR WOOD FLOAT FINISH

CITY USES 10MM STEEL FOR REINFORCING
 CAN/CSA G30.18, FY = 400MPA
 CONCRETE EXPOSURE CLASS = C2

CUSTOMER DETAIL INFORMATION	
QUANTITY	
FINISH (OPTIONAL)	(TOP) EXPOSED AGGREGATE (TOP) BROOM FINISH
COLOUR	NATURAL GREY
WEIGHT	374 KG. (TOTAL)
DIMENSIONS	2418MM x 889MM x 76MM



PROJECT DESCRIPTION:
FOUR PIECE TREE SURROUND AS PER G10.2 VANCOUVER CITY STANDARDS

DRAWN BY: YJE	REQD BY: JZ	RN.	DESCRIPTION	MM/DD/YY	SCALE: AS SHOWN
APPROVED BY:					DATE: 11/10/21
					PAGE NO: 01

D:\SANDERSON CONCRETE INC\00183 - 100121 - COV Tree Grate - JZ01 - ACAD\01 - SET\Four Piece Tree Surround Vancouver Standards 11102021.dwg